

Appl. No. 09/886,014

Amdt. dated October 29, 2004  
Reply to Office action of June 3, 2004

**Amendments to the Drawings:**

The attached sheets of drawings includes changes to Figs. 4, 6, 7, 13 and 14. These sheets, which include Figs. 4, 6, 7, 13 and 14, replace the original sheets including Figs. 4, 6, 7, 13 and 14.

Attachment: Replacement sheets (Figs. 4, 6, 7, 13 and 14).

Annotated sheets showing changes.

New drawings sheets including new Figs. 17 and 18.


O P E  
NOV 03 2004  
SEARCHED INDEXED SERIALIZED FILED  
8635  
U.S. PATENT & TRADEMARK OFFICE

Replacement Sheet

**HOME**

280

**Bolts Main Page**



NOV 03 2004

PTO OFFICE 895

Replacement Sheet




FIG 6

NOV 03 2004

O I P E  
SEARCHED INDEXED SERIALIZED FILED  
JAN 2005 OFFICE OF THE PATENT

Replacement Sheet






FIG 7


NOV 03 2004

Replacement Sheet





**Knurled Nuts**

Knurled Brass Nuts are used to attach diffuser shields on square recessed lighting fixtures found throughout many homes, recreation rooms, bathrooms and mobile homes. Knurled Nuts are also found on many electrical fixtures where the threaded stud is anchored in the junction box and the fixture is mounted over and through the studs. Knurled Nuts are hollow allowing adjustment anywhere along the tread of the stud.




282

284





**FIG 13**

NOV 03 2004




Replacement Sheet



**Knurled Screws**


Knurled Head Screws are available in either Brass or Chrome Plated Steel in various lengths. These screws are used predominately for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.



283

Check current availability

284



You will find them in...  
SECTION COLOR  
Yellow

282

**FIG 14**


NOV 03 2004

11/12/2004  
JC98

Annotated Sheet Showing Changes

**HOME**

**Bolts Main Page**



**FIG 4**


NOV 03 2004  
8658

Annotated Sheet Showing Changes

**Carriage: Hot Dipped Galvanized**

Carriage Bolts:  
Plated Steel:

Used predominately in wood to wood or metal to wood applications. The bolt is prevented from turning, as the nut is tightened, by embedding the square neck into the wood. When using Carriage Bolts always use a Flat Washer between the wood and the hex nut to eliminate pull-through of the nut into the wood. Drill pilot holes slightly larger than body diameter of bolt. Insert the Carriage Bolt so that the headed end is on the finished side of project for appearance and safety.



212

278 → BACK  
280 → HOME



Check current availability

283

284

You will find them in...  
SECTION C <sup>BIN</sup> COLOR Yellow

282

Plated Steel  
Stainless Steel

Hot Dipped Galvanized

Duradized  
302

**FIG 6**

NOV 03 2004



Annotated Sheet Showing Changes






FIG 7

NOV 03 2004


O I P E  
RECEIVED  
NOV 3 2004  
865

Annotated Sheet Showing Changes



**Knurled Nuts**

Knurled Brass Nuts are used to attach diffuser shields on square recessed lighting fixtures found throughout many homes, recreation rooms, bathrooms and mobile homes. Knurled Nuts are also found on many electrical fixtures where the threaded stud is anchored in the junction box and the fixture is mounted over and through the studs. Knurled Nuts are hollow allowing adjustment anywhere along the tread of the stud.



282

284

283  
Check current availability




**Knurled Head Screws**

**FIG 13**



NOV 03 2004  
JC98

Annotated Sheet Showing Changes



**Knurled Screws**


Knurled Head Screws are available in either Brass or Chrome Plate Steel in various lengths. These screws are used predominately for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.



283

Check current availability



284



**FIG 14**


NOV 03 2004

New Drawings



**Knurled Screws**


Knurled Head Screws are available in either Brass or Chrome Plate Steel in various lengths. These screws are used predominantly for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.



283

Check current availability

284



**FIG 17**

O I P E  
NOV 03 2004  
SEARCHED INDEXED SERIALIZED FILED  
U.S. PATENT AND TRADEMARK OFFICE  
JCBS

New Drawings




FIG 18